

Lecture 16
Genetic Drift
(Article 14)
Please pick up 2 pennies as you come in!

Deterministic vs. Stochastic Worlds

- Deterministic processes: given initial conditions, outcome is completely determined:
- Stochastic processes: given initial conditions, outcome is a probability estimate (e.g., weather forecasting)

Stochastic Processes

- Extrinsic factors (e.g., fluctuating environment)
- Intrinsic factors, or sampling error
 - In the “big bang” life history (H-W), we assumed a large (actually $N=\infty$) population of parents

Genetic Drift

- ➔ Genetic Drift - allele frequency change due to small N (and resulting sampling error)
- ➔ How will allele frequency change?
- ➔ Model involves intensive probability theory:
you have 2N alleles combining at random, the probability that i of them will be A_1 is given by the binomial distribution;

Experimental Demonstration of Genetic Drift (Using Clickers!)

- ➔ Experiment 1: Infinite Population.
- ➔ Assume $p=0.5, q=0.5$
- ➔ What would p_{t+1} be after one generation of drift with $N=infinity$?

Expt' 1 Demo of Drift

- ➔ 2. $N=X$ (Class size today). Flip your two coins; what is 'junior's genotype?

Genotype:	HH	HT	TT	p	q
Observed					
Expected	.25	.50	.25	.5	.5

Expt' 1 Drift Demo

→ N=class size (trial 2). Repeat!

Genotype:	HH	HT	TT	p	q
Observed					
Expected	.25	.50	.25	.5	.5

Expt' 1 Demo of Drift

→ N=8

Genotype:	HH	HT	TT	p	q
Observed					
Expected	.25	.50	.25	.5	.5

Expt' 1 Demo of Drift

→ N=8 (trial 2)

Genotype:	HH	HT	TT	p	q
Observed					
Expected	.25	.50	.25	.5	.5

Expt' 1 Demo of Drift

→ X populations with N=1

Time	# of Pop'ns		
	HH (p=1)	HT (p=.5)	TT (p=0)
1			
2			
3			
4			

Genetic Drift - A Random Walk

→ Genetic drift is allele frequency change without a directional driving force:

Genetic Drift - A Random Walk

→ By chance, in the absence of other forces, all small populations will drift to fixation : p=0 or p=1.

Genetic Drift and Small Populations

- ⇒ Genetic drift results in most rapid allele frequency change in small populations
- ⇒ Rare plants and animals will tend to lose genetic variability
- ⇒ Is drift unimportant in large populations?
- ⇒ *****Not necessarily!*****

Effective Population Size


- ⇒ Individuals often mate within a small neighborhood, making N effectively small (and therefore drift becomes a potent force)

Effective Population Size

- ⇒ Even if a population is panmictic (randomly mating with no distance limitation), $N_e < N$ because not all individuals in a population are reproductive
- ⇒ Skewed sex ratio may lower N_e

Population Bottlenecks

→ Due to effects of stochastic factors on **population size**, the stochastic process of drift can reduce genetic variation in low N periods



Genetics of Turtles

- Demonstration of population bottleneck
- GG=Dark Green Turtles
- Gg=Dark Green Turtles
- gg=Light Green Turtles

Summary-Genetic Drift

- Genetic drift is allele frequency change due to 'sampling error'
- Drift results in fixation of one allele or the other
- The rate of fixation is N-dependent, with fastest rates of change occurring in small populations
- A population bottleneck is a historical phenomenon that produces drift-like loss of genetic variation and differentiation
