

the picture was projected. Normal control subjects were correct regardless of which hemisphere "saw" the drawings. This implies that communication between your brain hemispheres is necessary for imagining or simulating in your mind the movements of others, that is, "putting yourself in their place" in order to perceive their actions correctly.

Finally, some researchers have been exploring the possibility that independent functioning of the two hemispheres of the human brain may help explain various psychological conditions known as dissociative disorders in which a person undergoes a major shift in identity and consciousness, such as *Multiple Personality Disorder* or *fugue states* (e.g., Schiffer, 1996). The idea behind this notion is that in some people with intact, "nonsplit" brains, the right hemisphere may be able to function at a greater-than-normal level of independence from the left, and may even take control of a person's consciousness for periods of time. This may offer a plausible explanation for dissociative psychological disorders, especially if the left hemisphere has little or no memory of these episodes, and, therefore, the person cannot talk about them and would very likely deny their existence. So, is it possible that multiple personality disorder might be the *expression* of hidden personalities contained in our right hemispheres? It's something to think about . . . with *both* of your hemispheres.

- Baynes, K., Tramo, M., & Gazzaniga, M. (1992). Reading with a limited lexicon in the right hemisphere of a callosotomy patient. *Neuropsychologia*, 30, 187-200.
- Gazzaniga, M. S. (1985). *The social brain*. New York: Basic Books.
- Gazzaniga, M. S., & Ledoux, J. E. (1978). *The integrated mind*. New York: Plenum Press.
- Hommet, C., & Billard, C. (1998). Corpus callosum syndrome in children. *Neurochirurgie*, 44(1), 110-112.
- Levy, J. (1985, May). Right brain, left brain: Fact and fiction. *Psychology Today*, 42-44.
- Morris, E. (1992). Classroom demonstration of behavioral effects of the split-brain operation. *Teaching of Psychology*, 18, 226-228.
- Parsons, L., Gabrieli, J., Phelps, E., & Gazzaniga, M. (1998). Cerebrally lateralized mental representations of hand shape and movement. *Neuroscience*, 18(16), 6539-6548.
- Puente, A. E. (1995). Roger Wolcott Sperry (1913-1994). *American Psychologist*, 50(11), 940-941.
- Schiffer, F. (1996). Cognitive ability of the right-hemisphere: Possible contributions to psychological function. *Harvard Review of Psychiatry*, 4(3), 126-138.
- Sperry, R. W. (1968). Hemisphere disconnection and unity in conscious awareness. *American Psychologist*, 23, 723-733.

MORE EXPERIENCE = BIGGER BRAIN?

Rosenzweig, M. R., Bennett, E. L., & Diamond, M. C. (1972). Brain changes in response to experience. *Scientific American*, 226, 22-29.

If you were to enter the baby's room in a typical American middle-class home today, you would probably see a crib full of stuffed animals and various colorful toys dangling directly over and within reach of the infant. Some of these toys may light up, move, play music, or do all three. What do

you suppose is the reasoning behind this? Well, aside from the fact that children need a stimulating environment for proper development and proper development

The question of whether certain functions are localized in the brain has been a topic of controversy for centuries. In 1783, L. B. Leutenants trained pairs of dogs from the same litter to perform different batches of eggs. For each pair, he trained one dog for a long period of time while the other was not. He discovered later, in 1785, that the trained animals appeared more intelligent than the untrained and fissures. However, this line of research was not continued. In the late nineteenth century, the circumference of the human head was measured and experienced. While some early findings suggested that this was not

By the 1960s, new technologies gave scientists the ability to measure brain activity using magnification techniques and assays for neurotransmitter chemicals. In 1968, Howard Bennett and Marian Diamond at the University of California, Berkeley, incorporated those techniques into their experiments over a period of 10 years. Their findings of experience on the brain. Their findings are discussed in this chapter. For reasons of practicality, use humans in their studies, but for ethical reasons, their subjects were rats.

THEORETICAL PROPOSITIONS

Since psychologists are ultimately interested in nonhuman subjects must be justified. The theoretical foundation concerned why rats were used. The authors explained that for several reasons, it was better than to use higher mammals such as primates. The brain that is the main focus of this chapter is as simple and complex as it is in higher animals and measured more easily. In addition, it was an important consideration in the design of the study. The underfunded and lacking in space for members from the same litter. The conditions. Finally, the authors' findings have been produced, and this allows for genetic studies if desired.

you suppose is the reasoning behind supplying infants with so much to see and do? Well, aside from the fact that babies seem to enjoy and respond positively to these things, it is most parents' belief, acknowledged or not, that children need a stimulating environment for optimal intellectual development and proper development of the brain.

The question of whether certain experiences produce physical changes in the brain has been a topic of conjecture and research among philosophers and scientists for centuries. In 1785, Malacarne, an Italian anatomist, studied pairs of dogs from the same litter and pairs of birds from the same batches of eggs. For each pair, he would train one subject extensively over a long period of time while the other would be equally well cared for, but not trained. He discovered later, in autopsies of the animals, that the brains of the trained animals appeared more complex, with a greater number of folds and fissures. However, this line of research was, for unknown reasons, discontinued. In the late nineteenth century, there were attempts to relate the circumference of the human head with the amount of learning a person had experienced. While some early findings claimed such a relationship, later research determined that this was not a valid measure of brain development.

By the 1960s, new technologies had been developed that gave scientists the ability to measure brain changes with great precision using high magnification techniques and assessment of levels of various brain enzymes and neurotransmitter chemicals. Mark Rosenzweig and his colleagues Edward Bennett and Marian Diamond, at the University of California at Berkeley, incorporated those technologies in an ambitious series of 16 experiments over a period of 10 years to try to address the issue of the effect of experience on the brain. Their findings were reported in the article discussed in this chapter. For reasons that will become obvious, they did not use humans in their studies, but rather, as in many classic psychological experiments, their subjects were rats.

THEORETICAL PROPOSITIONS

Since psychologists are ultimately interested in humans, not rats, the use of nonhuman subjects must be justified. In these studies, part of the theoretical foundation concerned why rats had been chosen as subjects. The authors explained that for several reasons, it is more convenient to use rodents than to use higher mammals such as carnivores or primates. The part of the brain that is the main focus of this research is smooth in the rat, not folded and complex as it is in higher animals. Therefore, it can be examined and measured more easily. In addition, rats are small and inexpensive, which is an important consideration in the world of research laboratories (usually underfunded and lacking in space). Rats bear large litters, and this allows for members from the same litters to be assigned to different experimental conditions. Finally, the authors point out, various strains of inbred rats have been produced, and this allows researchers to include the effects of genetics in their studies if desired.

Implicit in Rosenzweig's research was the belief that animals raised in highly stimulating environments will demonstrate differences in brain growth and chemistry when compared with animals reared in plain or dull circumstances. In each of the experiments reported in this article, 12 sets of three male rats, each set from the same litter, were studied.

METHOD

Three male rats were chosen from each litter. They were then randomly assigned to one of three conditions. One rat remained in the laboratory cage with the rest of the colony; another was assigned to what Rosenzweig termed the "enriched" environment cage; and the third was assigned to the "impoverished" cage. Remember that there were 12 rats in each of these conditions for each of the 16 experiments.

The three different environments (Figure 1) were described as follows:

1. The standard laboratory colony cage contained several rats in an adequate space with food and water always available.
2. The impoverished environment was a slightly smaller cage isolated in a separate room in which the rat was placed alone with adequate food and water.




FIGURE 1 The three cage environments.

3. The enriched environment was intended to Mickey!). Six to eight rats, with a variety of objects with which they could interact, drawn out of a pool of objects every day" (p. 22).

The rats were allowed to live in their respective environments for various periods of time, ranging from a few days to several weeks. At the end of the treatment period, the experimenters performed autopsies to determine what differences had developed. In order to ensure that the autopsies would occur, the examinations were performed on the brains of the rats so that the person doing the autopsies was not aware of the rat's environment. The researchers' primary interest was in the brains of the enriched rats versus the brains of the impoverished rats.

The rats' brains were dissected, weighed, and analyzed to determine levels of neurotransmitter activity. In the brain, the enzyme of particular interest is monoamine oxidase, which is important because it allows for the transmission of impulses among brain cells.

Did Rosenzweig and his associates find significant differences between rats raised in enriched versus impoverished environments?

RESULTS

Results indicated that the brains of the impoverished rats in many ways were significantly heavier and that they responded to experience and learning, and all sensory input (visually, auditorily, etc.). The greater activity of the nervous system, as mentioned previously, was found in the brains of the enriched rats.

While there were no significant differences between the two groups of rats in the number of brain cells, the enriched environment produced larger neurons. The ratio of RNA to DNA, the two ratios that are related to brain growth, was greater for the enriched rats. The enriched rats also had a higher level of chemical activity in their brains.

Rosenzweig and his colleagues found that the differences induced by environment are genuine. When the experiments are repeated, the same differences are found repeatedly. . . . The brain that we found was the brain that we found. The weight of the rest of the brain: the

3. The enriched environment was virtually a rat's Disneyland (no offense intended to Mickey!). Six to eight rats lived in a "large cage furnished with a variety of objects with which they could play. A new set of play-things, drawn out of a pool of 25 objects, was placed in the cage every day" (p. 22).

The rats were allowed to live in these different environments for various periods of time, ranging from 4 to 10 weeks. Following this differential treatment period, the experimental rodents were humanely sacrificed so that autopsies could be carried out on their brains to determine if any differences had developed. In order to be sure that no experimenter bias would occur, the examinations were done in random order by code number so that the person doing the autopsy would not know in which condition the rat was raised. The researchers' primary focus was on the differences in the brains of the enriched rats versus the impoverished rats.

The rats' brains were dissected and the various sections were measured, weighed, and analyzed to determine amount of cell growth and levels of neurotransmitter activity. In this latter measurement, there was one brain enzyme of particular interest called *acetylcholinesterase*. This chemical is important because it allows for faster and more efficient transmission of impulses among brain cells.

Did Rosenzweig and his associates find differences in the brains of rats raised in enriched versus impoverished environments? Here are their results.

RESULTS

Results indicated that the brains of the enriched rats were different from the impoverished rats in many ways. The cerebral cortex of the enriched rats was significantly heavier and thicker. The cortex is the part of the brain that responds to experience and is responsible for movement, memory, learning, and all sensory input (vision, hearing, touch, taste, smell). Also, greater activity of the nervous system enzyme acetylcholinesterase, mentioned previously, was found in the brain tissue of the rats with the enriched experience.

While there were no significant differences found between the two groups of rats in the number of brain cells (called neurons), the enriched environment produced larger neurons. Related to this was the finding that the ratio of RNA to DNA, the two most important brain chemicals for cell growth, was greater for the enriched rats. This implied that there had been a higher level of chemical activity in the enriched rats' brains.

Rosenzweig and his colleagues stated that "although the brain differences induced by environment are not large, we are confident that they are genuine. When the experiments are replicated, the same pattern of differences is found repeatedly. . . . The most consistent effect of experience on the brain that we found was the ratio of the weight of the cortex to the weight of the rest of the brain: the sub-cortex. It appears that the cortex

increases in weight quite readily in response to experience whereas the rest of the brain changes little" (p. 25). This measurement of the ratio of the cortex to the rest of the brain was the most accurate measurement of brain changes. This was because the overall weight of the brain varies with the overall weight of each individual animal. By considering this ratio, such individual differences are canceled out. Figure 2 illustrates this finding for all of the 16 studies. As you can see, in only one experiment was the difference not statistically significant.

Finally, there was a finding reported relating to the synapses of the brains of the two groups of rats. The synapse is the point at which two neurons meet. Most brain activity occurs at the synapse, where a nerve impulse is either passed from one neuron to the next so that it continues on, or it is inhibited and stopped. Under great magnification using the electron microscope, it was found that the synapses themselves of the enriched rats' brains were 50% larger than those of the impoverished rats.

DISCUSSION AND CRITICISMS

After nearly 10 years of research, Rosenzweig, Bennett, and Diamond were willing to state with confidence, "There can now be no doubt that many aspects of brain anatomy and brain chemistry are changed by experience" (p. 27). However, they were also quick to acknowledge that when they first reported their findings many other scientists were skeptical, since such effects had not been so clearly demonstrated in past research. There were criticisms contending that perhaps it was not the enriched environment that produced the brain changes, but other differences in the treatment of the rats such as mere handling or stress.




FIGURE 2 Ratio of cortex to rest of brain: Enriched compared with impoverished environment. (Results in experiments 2 through 16 were statistically significant.) (adapted from p. 26)

The criticism of differential handling of enriched rats was handled twice each cage as the toys were being changed or handled. It was possible, therefore, that the results and not the enriched environment were the founding factor, the researchers handled the rats (not handle another group of their impoverished environment). No differences in the results. Additionally, in their later studies, both groups were handled equally and, still, the same results were found.

As for the criticisms relating to the isolation experienced by the impoverished rats, the reason for their less developed brains was not the isolation (research that had exposed rats to a mild electric shock) and had found no difference in development due to stress alone.

One of the problems of any research is that it is necessarily artificial. Rosenzweig et al. argued about how various levels of stimulation of animals in their natural environment. Rats and mice often have been raised in laboratory as 100 generations and bear little resemblance to wild. To explore this intriguing possibility, mice were trapped in their natural outdoor conditions or the enriched outdoor mice showed greater brain development than enriched laboratory environment. "The laboratory environment is indeed in fact a very artificial environment" (p. 27).

Finally, the most important criticism of this research is the question of its reliability. There is no doubt that this line of research could have been done and is nevertheless the responsibility of the researchers and these scientists did so.

The authors explained that it is difficult to try to apply rat findings to humans. They report similar findings with several other species. More research would be necessary to be responsible about the effects of experience. However, the value of this research allows us to test concepts and techniques useful in research with human subjects.

Several potential benefits of this research are mentioned in their article. One possible application is in the study of human subjects.

The criticism of differential handling was a valid one in that the enriched rats were handled twice each day when they were removed from the cage as the toys were being changed, while the impoverished rats were not handled. It was possible, therefore, that the handling might have caused the results and not the enriched environment. To respond to this potential confounding factor, the researchers handled one group of rats every day and did not handle another group of their litter mates (all were raised in the same environment). No differences in the brains of these two groups were found. Additionally, in their later studies, both the enriched and impoverished rats were handled equally and, still, the same pattern of results was found.

As for the criticisms relating to stress, the argument was that the isolation experienced by the impoverished rats was stressful and this was the reason for their less developed brains. Rosenzweig et al. cited other research that had exposed rats to a daily routine of stress (cage rotation or mild electric shock) and had found no evidence of changes in brain development due to stress alone.

One of the problems of any research carried out in a laboratory is that it is necessarily artificial. Rosenzweig and his colleagues were curious about how various levels of stimulation might affect the brain development of animals in their natural environments. They pointed out that laboratory rats and mice often have been raised in artificial environments for as many as 100 generations and bear little resemblance genetically to rats in the wild. To explore this intriguing possibility, they began studying wild deer mice. After the mice were trapped, they were randomly placed in either natural outdoor conditions or the enriched laboratory cages. After 4 weeks, the outdoor mice showed greater brain development than did those in the enriched laboratory environment. "This indicates that even the enriched laboratory environment is indeed impoverished in comparison with a natural environment" (p. 27).

Finally, the most important criticism of any research involving animal subjects is the question of its relationship, if any, to humans. There is no doubt that this line of research could never be performed on humans, but it is nevertheless the responsibility of the researchers to address this issue, and these scientists did so.

The authors explained that it is difficult to generalize from the findings of one set of rats to another set of rats, and consequently much more difficult to try to apply rat findings to monkeys or humans. And, although they report similar findings with several species of rodents, they admit that more research would be necessary before any assumptions could be made responsibly about the effects of experience on the human brain. They proposed, however, that the value of this kind of research on animals is that "it allows us to test concepts and techniques, some of which may later prove useful in research with human subjects."

Several potential benefits of this research were suggested by the authors in their article. One possible application was in the study of memory.

the caregiver is stressful and unsatisfying, the hormones created in the infant's nervous system cause the abnormal development of specific structures and emotional circuits in the cortex. According to Shore, this abnormal brain development, triggered by negative environmental factors during infancy, creates an enduring increased susceptibility to various psychological disorders later in life (p. 59). Post echoes Schore's findings and goes a step further to suggest that stress and early episodes of psychological disorders such as depression or bipolar mental illness may actually leave "biochemical. . . residues in the central nervous system (CNS) in relation to their patterning, severity, and recurrence" (p. 273). In other words, Post and his colleagues are saying that an inherited tendency toward mental illness may create early abnormal psychological episodes, that, in turn, cause *physical* changes in the nervous system, leading to ongoing mental illness later in and throughout life. Based on these findings, Post suggests that early interventions may be more important than previously thought in preventing mental illnesses in adulthood.

- Bennett, E. L. (1976). Cerebral effects of differential experience and training. In M. R. Rosenzweig & E. L. Bennett (Eds.), *Neural mechanisms of learning and memory*. Cambridge, MA: MIT Press.
- Hopson, J. (1984). A love affair with the brain: A PT conversation with Marian Diamond. *Psychology Today*, 11, 62-75. (1992). Environmental enrichment: The influences of restricted daily exposure and subsequent exposure to uncontrollable stress. *Physiology and Behavior*, 51, 309-318.
- Post, R., Weiss, S., Leverich, G., George, M., Frye, M., & Ketter, T. (1996). Developmental psychobiology of cyclic affective illness: Implications for early therapeutic intervention. *Development and Psychopathology*, 8(1), 273-305.
- Schore, A. (1996). The experience-dependent maturation of a regulatory system in the orbital prefrontal cortex and the origin of developmental psychopathology. *Development and Psychopathology*, 8(1), 59-87.

ARE YOU A "NATURAL?"

Bouchard, T., Lykken, D., McGue, M., Segal, N., & Tellegen, A. (1990).

Sources of human psychological differences: The Minnesota study of twins reared apart. *Science*, 250, 223-229.

This study represents a relatively recent and on-going fundamental change in how many psychologists view human behavior in its broadest sense. You can relate to this change in a personal way by first taking a moment to answer in your mind the following question: "Who are you?" This may feel like a huge and complex question, but you don't have to delve too deeply or wander too far into philosophical or metaphysical territory. Just think for a moment about some of your individual characteristics: your "personality traits." Are you high strung or "laid back?" Are you shy or outgoing? Are you adventurous or do you seek out comfort and safety? Are you easy to get along with or do you tend toward the disagreeable? Are you usually optimistic or more pessimistic about the outcome of future events? Are you